

**Sir Safety System S.p.A. Single-member company**  
Wholly-owned subsidiary of Sir Holding Srl  
Via dei Fornaciai, 9 - Santa Maria degli Angeli  
06081 Assisi - Perugia - Italy  
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548  
Viale Europa 74  
20090 Cusago Milano  
Tel. +39 02.90394575 (R.A.)  
Fax +39 02.90394441

**export@sirsafety.com**  
**www.sirsafety.com**

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 9001 =



<b>Name: Stark 3 Earmuffs</b>	<b>Code: 51192</b>	<b>Ear Muffs</b>
-------------------------------	--------------------	------------------

#### Description

The earmuffs feature hypoallergenic polyurethane cushions with a large contact surface. Height adjustable and foldable, it can be stored in cloths' pockets. Suitable for medium noise level environments.

SNR 30 dB

Hertz frequency: H Attenuation = 34

Hertz frequency: M Attenuation = 28

Hertz frequency: L Attenuation = 19

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:125/16.9/4.4/12.5;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:250/19.7/2.3/17.4;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:500/29.7/2.6/27.1;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:1000/38.5/3.1/35.4;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:2000/34.3/2.8/31.5;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:4000/42.3/3.6/38.7;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:8000/38.4/4.0/34.4;

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of EN 352.

It is classified as PPE Cat. II.



Category <b>II</b>	Colours Black - Red	Available Sizes Unica
Quantity/Carton <b>20</b>	Important Information Make sure the device is in good condition before use. Once you become aware of a damage, you should immediately replace it.	Recommended for Suitable for medium noise level environments.
Dexterity	EC Standards EN 352 CE	Storage and cleaning Keep in a cool dry place, far from heat sources. Clean with a damp cloth and soapy water. Do not use any solvents.