

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciaci, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



Name: Over Cap Low Shoe	Code: 25071	Overcap Series
--------------------------------	--------------------	-----------------------

Description

Low shoe with 200 joule composite toecap and Zero Penetration composite midsole. Nubuck leather upper with "Crazy Horse" treatment, with midsole featuring an overcap for additional protection. Metal Free. PU FORCE dual density polyurethane sole. High density PU outsole with deep grooves offering excellent grip on uneven surfaces. Low density PU insole with anti-weariness properties. Extra wide fitting shoe which provides a secure fit, whatever foot shape. Anti-slip SRC standard. 3 MM EVA SOFT INSOLES, with anti-weariness properties, interchangeable, ensuring continued hygiene and cleanliness. 3D-TEX polyester LINING for foot ventilation, reducing perspiration.



Main features:

- High efficiency breathable lining
- Lace holes with leather structure for a longer duration
- Special protection with overcap
- Sharp-edged cleats to help the grip on wet floors
- Outsole with increased thickness
- Outsole with open angles deep grooves
- Outsole resistant to oils and hydrocarbons
- Anti-shock system
- Anti-slip ribbing
- Increased wide fitting suitable for any kind of foot

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of European standards EN ISO 20345. It is classified as PPE Cat. II.

Category II	Colours Black	Available Sizes 39-47
Quantity/Carton 10	Important Information The footwear should be stored in a cool dry place, far from heat sources and direct light. Make sure footwear is in good condition, before use. If the shoes are damaged, replace them.	Recommended for Construction, Mechanical Industry, Chemical Industry, Mining.
Dexterity	EC Standards EN 20345  Safety Class:S3 SRC	Storage and cleaning Clean the footwear with a soft brush and water.