



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 (R.A.) Fax +39 02.90394441

export@sirsafety.com www.sirsafety.com

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL



Name: Carboflame Coverall Code: 35283R **Light Carboflame and Carboflame**

Description

Coverall with shirt collar, outer fabric in 87% cotton, 12% nylon and 1% carbon fibre, 255 g/m², with concealed two-way central zipper closure with flap and Velcro, chest pockets with zip and flaps with Velcro, loop for gas detector; pocket on left sleeve with flap and Velcro, frontal slanted pockets with flaps and Velcro, hidden exterior-to-interior access. Two back pockets with flaps and Velcro, elastic waistband. Knee pad pockets with Velcro closure, ruler pocket with flap and Velcro,

reflective band on the shoulders, legs and arms, triple stitching.

- The entire Carboflame series is Flame Retardant and antistatic, suitable for protecting the operator from accidental contact with minor flames. molten metal splashes and accidental electric contact of short duration.
- Night safety due to the reflective bands.

In combination with the coverall, is it possible to wear our under garments: Carboflame undershirt art. 35285 and Carboflame underpants art. 35286, meeting the point A.2 of IEC 61482-2 which is stating that the electric arc protective clothing shall be used with under garments made of materials that would not melt with the arc.

The product is designed and manufactured according to the Directive 89/686/EEC.

> Limited Flame Spread:A1 Convective Heat:B1 Radiant Heat:C1 Molten Iron Splashes:E1 Contact Heat:F1

CEI EN 61482

Class:1



It is classified as PPE Cat.III.		
Category	Colours	Available Sizes
III	Red	XS-3XL
Quantity/Carton	Important Information	Recommended for
15	Keep in a cool dry place, far from heat sources and direct light. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of a damage, you should immediately replace it.	Petrochemical Industry, Oil & Gas Industries, Mining Industry.
Dexterity	EC Standards	Storage and cleaning
	EN 1149 CE	We recommend to follow the washing instructions.
	4	
	EN 11612 CE	