

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciai, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



Name: Polytech Plus Jacket	Code: 35304	Polytech New Generation
-----------------------------------	--------------------	--------------------------------

Description

Jacket made with a double-layer, multipurpose protection, coupled fabric. Outer fabric: 65% Lenzing FR®, 22% aramidic fibre, 12% polyamide, 1% antistatic fibre, weight 250 g/m²; Inner fabric: 64% Lenzing FR®, 35% aramidic fibre, 1% antistatic fibre, weight 145 g/m². It features a Chinese collar, concealed zipper closure with flap and Velcro, two side welt pockets, two chest pockets with flaps and Velcro, which one featuring a phone pocket and pen holder. It features a reflective stripe on the top part.

- Polytech Plus Series is made with a multi-purpose fabric that combines antistatic properties with resistance to flames, heat and chemical products.

- The inherently flame resistant fabric offers permanent protection, resistant to worn away or washed out. High mechanical resistance, softness and breathability.

- Class 2 Arc Flash protection.

The jacket shall be worn in combination with the trousers.

In combination with the jacket it is possible to wear our under garments: Carboflame undershirt art. 35285 and Carboflame underpants art. 35286, meeting the point A.2 of IEC 61482-2 which is stating that the electric arc protective clothing shall be used with under garments made of materials that would not melt with the arc.

The product is designed and manufactured to comply with the requirements of Directive 89/686/EEC.
It is classified as PPE Cat. III.



Category III	Colours Navy - Royal Blue	Available Sizes 44-62
Quantity/Carton 50	Important Information Keep in a cool dry place, far from heat sources and direct light. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of a damage, you should immediately replace it.	Recommended for Petrochemical Industry, Refining Industry, Chemical Industry, Gas, Water and Electricity Mains Maintenance and Management, Oil & Gas industry.
Dexterity	EC Standards	Storage and cleaning

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciai, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



EN 1149 CE



EN 11611 CE



Class:1

EN 11612 CE



Limited Flame Spread:A1 A2
Convective Heat:B1
Radiant Heat:C1
Molten Aluminium Splashes:D1
Molten Iron Splashes:E1
Contact Heat:F1

CEI EN 61482



Class:2 7 KA

EN 13034



Type:6

We recommend to follow the washing instructions.
Wash separately from other types of garments to
avoid the transfer of inflammable fibres.